



Web API Guide

A Guide for Programmers

Table of Contents

1	Introduction	3
2	Web API's.....	4
2.1	Send SMS	4
2.1.1	URL.....	4
2.1.2	Parameter Summary.....	4
2.1.3	Example	5
2.2	Send SMS with API Key.....	6
2.2.1	URL.....	6
2.2.2	Parameter Summary.....	6
2.2.3	Example	7
2.3	Get Balance.....	8
2.3.1	URL.....	8
2.3.2	Parameter Summary.....	8
2.3.3	Example	8
2.4	Message Status.....	8
2.4.1	URL.....	8
2.4.2	Parameter Summary.....	9
2.4.3	Example	9
3	Support	10
3.1	API integration and Technical	10
3.2	Commercial and General	10

1 Introduction

Web API's a Programmers Reference Guide

2 Web API's

2.1 Send SMS

2.1.1 URL

Request

http://158.69.194.138/websms/sendsms.aspx?userid=<userid>&password=<password>&sender=<senderid>&mobilenumber=<mobilenumber>&message=<message>&msgtype=<msgtype>&sendon=<datetime>

Response

SUCCESS : XXXXXXXXXXXXXXXX_XXXXXX

2.1.2 Parameter Summary

Parameter	Description	Default Value
Userid	Unique Userid provided when registered	
Password	Password used to create user	
Sender	Registered SenderID as sender identification	
Mobileno	Destination mobile number	
Msg	Alpha numeric characters as Message to send	
Sendon	Schedule the message and delivers on specified DateTime in yyyy-MM-dd hh:mm:ss format	Current DateTime (Instant) (Optional)
MsgType	Specifies SMS Message Type 0 - Short, 1 - Short Unicode, 2 — Long SMS, 3 - Unicode Long	0 (Optional for Plain Text Short and Long SMS)

2.1.3 Example

Request

http://158.69.194.138/websms/sendsms.aspx?userid=userid&password=password&sender=senderid&mobilen=8888888888&msg=hello+there+how+are+you

Response

Success : Message ID : 20140906175515000_211680

2.2 Send SMS with API Key

2.2.1 URL

Request

http://158.69.194.138/websms/apisendsms.aspx?apikey=<apikey>&apihash=<apihash>&sender=<senderid>&mobilenumber=<mobilenumber>&message=<message>&msgtype=<msgtype>&sendon=<datetime>

Response

SUCCESS : XXXXXXXXXXXXXXXX_XXXXXX

2.2.2 Parameter Summary

Parameter	Description	Default Value
Apikey	Unique apikey provided by administrator	
Apihash	apihash provided by administrator	
Sender	Registered SenderID as sender identification	
Mobilenumber	Destination mobile number	
Msg	Alpha numeric characters as Message to send	
Sendon	Schedule the message and delivers on specified DateTime in yyyy-MM-dd hh:mm:ss format	Current DateTime (Instant) (Optional)
MsgType	Specifies SMS Message Type 0 - Short, 1 - Short Unicode, 2 — Long SMS, 3 - Unicode Long	0 (Optional for Plain Text Short and Long SMS)

2.2.3 Example

Request

http://158.69.194.138/websms/apisendsms.aspx?apikey=apikey&apihash=apihash&sender=senderid&mobilen=999999999&msg=hello+there+how+are+you

Response

Success : Message ID : 20140906175515000_211680

2.3 Get Balance

2.3.1 URL

Request

http://158.69.194.138/websms/getbalance.aspx?userid=<userid>&password=<password>

Response

Credits Available : XXXXX

2.3.2 Parameter Summary

Parameter	Description
Userid	Unique Userid provided when registered
Password	Password used to create user

2.3.3 Example

Request

http://158.69.194.138/websms/getbalance.aspx?userid=userid&password=password

Response:

Credits Available : 4569

2.4 Message Status

2.4.1 URL

Request

http://158.69.194.138/websms/messagestatus.aspx?msgid=<submitid>

Response

Status/yyyy-MM-dd HH:mm

2.4.2 Parameter Summary

Parameter	Description
Msgid	Unique Message submit id received when message submitted

2.4.3 Example

Request

http://158.69.194.138/websms/messagestatus.aspx?msgid=20140906175515000_21168

Response: Available Credits

DELIVRD|2014-09-06 05:55

3 Support

3.1 API integration and Technical

For any support for API integration please contact

3.2 Commercial and General

For any support on Commercials and General quires please contact

Contact us for any kind of SMS Solutions